

MANUFACTURER OF COMMERCIAL AND ENVIRONMENTAL CLEANING EQUIPMENT



# Contents

1	Soft Surface Equipment & Tools
2	Hard Surface Equipment & Tools
3	Truckmount/Platform
4	Specialty
5	Accessories

### **SOFT SURFACE**



EFFICIENT
EFFORTLESS
ECONOMICAL
HEAVY DUTY





Strong, compact, quiet, and dependable.



Manufacturer of Commercial & Environmental Cleaning Equipment Since 1974

© 2018 TIMBUCKTOO MFG, INC.

#### Specifications: (RH-2200)

#### Motor

(2) 2 Stage vacuum motors[Part #: 11639200]

146" Water lift

107 CFM Air flow

#### Pump

120 PSI pump[Part #: 866-520-2141]

1.3 GPM Flow rate

#### Power

120 Volt AC / 17.5 Amps max

(1) 25' 12/3 Gauge power cord

#### Capacity

11 Gallon solution tank and 13 gallon recovery tank

#### **Accessories Included:**

(1) 25' vacuum & 25' solution hose assembly [Part #: TA1532599-4MF]

(1) Single jet, 12", Autoseal Wand[Part #: WMPT1V11008JG] (Patented heavy duty self-adjustable suction angle head with adjustable stainless steel grip handle)

#### **Options:**

Available with 170, 220, 500, and 1200 PSI pumps

Additional and multiple vacuum motors available

Paralell vacuums available #A or #B

Output female plug

Auto fill system and Auto dump system

Side drain valve

Other Autoseal Wands available

Other hand tools and accessories available

Inline heater (210° F max)

For any specific custom options please contact customer service for availability

#### **Shipping Weight**

98 lb +

#### **Exterior Dimensions**

H 36" x W 21" x L 28"

#### **Standard Colors**

Charcoal granite

Custom colors available please call customer service







Picture shown with optional drain valve



### **Rhino Series**



Rhine	Models	Compare to
Model	RH-2200	BELAIR-2200
Vacuum Motor	(2) 2 Stage	(2) 2 Stage
Water Lift	146"	146"
Air Flow	107 CFM	107 CFM
	Pumps	
100 PSI - Shurflo	0	-
120 PSI - TMI Brand	S	S
170 PSI - TMI Brand	0	0
220 PSI - TMI Brand	0	0
500 PSI - Pumptec	0	0
500 PSI - Cat Pump	0	0
	Power	
120 Volts	S	S
240 Volts	0	О
Max Amps	17.5	17.5
	Vacuum/Solution Hose Lengths	•
10 ft / 10 ft	0	-
15 ft / 15 ft	0	-
25 ft / 25ft	S	s
50 ft / 50 ft	0	О
	Wands	
Autoseal 1-Jet	S	S
Autoseal See Throu 1-Jet	0	0
Autoseal Double Bend 1-Jet	0	0
Autoseal 2-Jet	0	0
Autoseal See Throu 2-Jet	0	0
Autoseal Double Bend 2-Jet	0	0
	Wheels and Casters	
(2) 4 " Casters and (2) 12 " Rear Wheels	0	S
(2) 3 " Casters and (2) 10 " Rear Wheels	S	0
	Other Options	
Intank Heater	0	0
Inline Heater	0	0
Stationary Handle	S	S
	Dimensions and Weight	
Solution / Recovery Tank Capacity	11/13Gallon	15/15 Gallon
Dimensions of Machine Only	36"x21"x28"	39"x21"x30"
Weight of Machine Only	69 lb	85 lb
Shipping Dimensions of Machine and Hose	42"x22"x30"	42"x22"x30"
Shipping Weight of Machine and Hose	98 lb	120 lb
Shipping Dimensions of Wand	13"x13"x66"	13"x13"x66"
Shipping Weight of Wand	13 lb	13 lb
		•

Comparison sheet in the back



Constructed with heavy duty fiber composite body, stainless steel lid and handle. Durable and easy to maintain.

Manufacturer of Commercial & Environmental Cleaning Equipment Since 1974 © 2018 TIMBUCKTOO MFG, INC.

Picture shown with

standard accessories:

#### Specifications: (B-2200)

#### Motor

(2) 2 Stage vacuum motors [Part #: 11639200]

150" Water lift

97 CFM Air flow

#### **Pump**

120 PSI pump [Part #: 866-520-2141]

1.3 GPM Flow rate

#### **Power**

120 Volt AC / 17.5 Amps max

(1) 25' 12/3 Gauge power cord

#### Capacity

10 Gallon solution tank and 9 gallon recovery tank

#### **Accessories Included:**

(1) 15' vacuum hose & 15' solution hose assembly [Part #:TA1531550-4MF]

(1) Single jet, 12", Autoseal Wand [Part #: WMPT1V11008JG] (Patented heavy duty self-adjustable suction angle head with adjustable stainless steel grip handle)

(1) Stationary Handle

#### **Options:**

Available with 170 and 220 PSI pumps

Output female plug

GFCI (ground fault circuit interrupter)

Intank heater with 140° F preset thermostat 🐔



Inline heater (210° F max) 🚵

Other Autoseal Wands available

Other hand tools and accessories available

For any specific custom options please contact customer service for availability

- (2) 3" non-marking casters and (2) 10" rear wheels
- (2) 3" non-marking casters and (2) 12" rear wheels

#### **Shipping Weight**

90 lb +

#### **Exterior Dimensions**

H 30" x W 17" x L 22.5"

#### **Standard Colors**

Blue and red

Custom colors available please call customer service



### **Blitz Series**

### TIMBUCKTOO MFG., INC.

Blitz Mo	odels			Com	pare to
Model	B-1200		B-2200	Absolute(A-2200)	APOLLO-2200
Vacuum Motor	(1) 2 Stage		(2) 2 Stage	(2) 2 Stage	(2) 2 Stage
Water Lift	82"		146"	146"	146"
Air Flow	97 CFM		97 CFM	97 CFM	97 CFM
		Pump	S		-
	_				
100 PSI - Shurflo	0		-	-	-
120 PSI - TMI Brand	S		S	S	S
170 PSI - TMI Brand	0		0	0	0
220 PSI - TMI Brand	0		0	0	0
500 PSI - Pumptec	0		0	0	0
500 PSI - Cat Pump	0		0	0	0
		Powe	· ·		
120 Volts	S	S	S	S	S
240 Volts	0	0	0	0	0
Max Amps	9	17.5	17.5	17.5	17.5/11
	Vacuur	n/Solution	Hose Lengt	ths	
10 ft / 10 ft	S	-	-	-	-
15 ft / 15 ft	0	S	S	S	S
25 ft / 25ft	0	0	0	0	0
50 ft / 50 ft	0	0	0	0	0
		Wand	ls		
Autoseal 1-Jet	S	S	S	S	S
Autoseal See Throu 1-Jet	0	0	0	0	0
Autoseal Double Bend 1-Jet	0	0	0	0	0
Autoseal 2-Jet	-	-	0	0	0
Autoseal See Throu 2-Jet	-	-	0	0	0
Autoseal Double Bend 2-Jet	-	-	0	0	0
	V	Vheels and	Casters		
(4) 3 " Casters	S	S	S	S	S
(2) 3 " Casters and (2) 10" Wheels	0	0	0	0	0
		Other Op	tions		
Intank Heater	0	0	0	0	S
Inline Heater	0	0	0	О	0
Stationary Handle	0	S	S	S	S
	Din	nensions a	nd Weight		
Solution / Recovery Tank Capacity	10/9 Gallon	10/9 Gallon	10/9 Gallon	5 / 5 Gallon	9/10 Gallon
Dimensions of Machine Only	34"x21"x27"	34"x21"x27"	34"x21"x27"	25"x17"x22"	27"x21"x 32"
Weight of Machine Only			68 lb	73 lb	77 lb
Shipping Dimensions of Machine and Hose	37"x23"x30"	37"x23"x30"	37"x23"x30"	28"x20"x30"	30"22"X36"
Shipping Weight of Machine and Hose			90 lb	80 lb	92 lb
Shipping Dimensions of Wand	13"x13"x66"	13"x13"x66"	13"x13"x66"	13"x13"x66"	13"x13"x66"
Shipping Weight of Wand	13 lb	13 lb	13 lb	13 lb	13 lb

Comparison sheet in the back

# BelAirseries

www.timbucktoomfg.com
(310) 323-1134

A professional portable extractor with large capacity tanks. Easy access to components and ease of use.

#### Manufacturer of Commercial & Environmental Cleaning Equipment

#### **Since 1974**

#### © 2018 TIMBUCKTOO MFG, INC.

#### Specifications: (BELAIR-2200)

#### Motor

(2) 2 Stage vacuum motors[Part #: 11639200]

146" Water lift

107 CFM Air flow

#### **Pump**

120 PSI pump[Part #: 866-520-2141]

1.3 GPM Flow rate

#### **Power**

120 Volt AC / 17.5 Amps max

(1) 25' 12/3 Gauge power cord

#### Capacity

15 Gallon solution tank and 15 gallon recovery tank

#### **Accessories Included:**

(1) 25' vacuum hose & 25' solution hose assembly [Part#: TA1532594-4MF]

(1) Single jet, 12", Autoseal Wand[Part #: WMPT1V11008JG] (Patented heavy duty self-adjustable suction angle head with adjustable stainless steel grip handle)

#### **Options:**

Available with 170, 220, and 500 PSI pumps

(2) 3 Stage vacuum motors available

Output female plug

GFCI (ground fault circuit interrupter)

Pressure gauge

Auto fill and Auto dump system

Other Autoseal Wands available

Other hand tools and accessories available

Inline heater (210° F max) 🐔

10° F max) 🌜

For any specific custom options please contact customer service for availability

#### **Shipping Weight**

120 lb +

#### **Exterior Dimensions**

H 39" x W 21" x L 30"

#### Standard color

Light granite

Custom colors available please call customer service





Easy access to: switches, handle, drain hose, and all the mechanical parts.



### **BelAir Series**

Ве	elAir Models			Comp	are to
Model	BELAIR-2200	BELAIR-2300	BELAIR-2200H39	Rhino(RH-2200)	Whisper(W-3200)
Vacuum Motor	(2) 2 Stage	(2) 3 Stage	(2) 2 Stage	(2) 2 Stage	(3) 2 Stage
Water Lift	146"	203"	146"	146"	249"
Air Flow	107 CFM	107 CFM	107 CFM	107 CFM	108 CFM
		Pumps			
100 PSI - Shurflo	-	-	-	0	0
120 PSI - TMI Brand	S	S	S	S	S
170 PSI - TMI Brand	0	0	0	0	0
220 PSI - TMI Brand	0	0	0	0	0
500 PSI - Pumptec	0	0	0	0	0
500 PSI - Cat Pump	0	0	0	0	0
		Power			
120 Volts	S	S	S	S	S
240 Volts	0	0	0	0	0
Max Amps	17.5	13.5/14.5	17.5/7	17.5	18.5/8.5
	Vacuur	n/Solution Ho	se Lengths		
10 ft / 10 ft	-	-	-	-	-
15 ft / 15 ft	-	-	-	-	-
25 ft / 25ft	S	S	S	s	S
50 ft / 50 ft	0	0	0	0	0
		Wands	,		
Autoseal 1-Jet	S	S	S	S	S
Autoseal See Throu 1-Jet	0	0	0	0	0
Autoseal Double Bend 1-Jet	0	0	0	0	0
Autoseal 2-Jet	0	0	0	0	0
Autoseal See Throu 2-Jet	0	0	0	0	0
Autoseal Double Bend 2-Jet	0	0	0	0	0
	V	Wheels and Cas	sters		
(2) 4" Casters and (2)12" Wheels	S	S	S	NA	NA
(2) 4" Casters and (2) 12" Wheels	NA	NA	NA	NA	S
(2) 3" Casters and (2) 10" Wheels	NA	NA	NA	S	NA
		Other Option	ıs		
Intank Heater	NA	NA	NA	NA	NA
Inline Heater	0	0	0	0	0
Stationary Handle	S	S	S	S	S
	Dir	nensions and \	Veight		
Solution / Recovery Tank Capacity	15/15 Gallon	15/15 Gallon	15/15 Gallon	11/13Gallon	13/15 Gallon
Dimensions of Machine Only	39"x21"x30"	39"x21"x30"	39"x21"x30"	36"x21"x28"	37"x22"x30"
Weight of Machine Only	85 lb	105 lb	105 lb	69 lb	
Shipping Dimensions of Machine and Hose	42"x22"x30"	42"x22"x30"	42"x22"x30"	42"x22"x30"	42"x22"x30"
Shipping Weight of Machine and Hose	120 lb	120 lb	120 lb	98 lb	140 lb
Shipping Dimensions of Wand	13"x13"x66"	13"x13"x66"	13"x13"x66"	13"x13"x66"	13"x13"x66"
Shipping Weight of Wand	13 lb	13 lb	13 lb	13 lb	13 lb

# Whispper series



Whispper is a new age extractor with a wet and dry vacuum system. Easy access waist high switches located on the handle.

Manufacturer of Commercial & Environmental Cleaning Equipment

**Since 1974** 

© 2018 TIMBUCKTOO MFG, INC.

#### **Specifications: (W-2200)**

(2) 2 Stage vacuum motors [Part #:11639200]

146" Water lift

97 CFM Air flow

#### Pump

120 PSI pump [Part #:866-520-2141]

1.3 GPM Flow rate

#### Power

120 Volt AC / 17.5 Amps max

(1) 25' 12/3 Gauge power cord

#### Capacity

13 Gallon solution tank and 15 gallon recovery tank

#### **Accessories Included:**

(1) 25' vacuum hose & 25' solution hose assembly [Part #:TA1532599-4MF]

(1) Single jet, 12", Autoseal Wand [Part #:WMPT1V11008JG] (Patented heavy duty self-adjustable suction angle head with adjustable stainless steel grip handle)

#### **Options:**

Available with 170, 220, and 500 pumps

Additional vacuum motors available

Other Autoseal Wands available

Other hand tools and accessories available

Inline Heater (210° F max)



For any specific custom options please contact customer service for availability

#### **Shipping Weight**

120 lb +

#### **Exterior Dimensions**

H 37" x W 22" x L 30"

#### **Standard Colors**

Granite/Black

Custom colors available please call customer service

#### CAUTION: Do not use flammable and volatile material.





**WET & DRY VACUUM SYSTEM** 

## **Whispper Series**



Whisppe	r Models			Compare to				
Model	W-2200	W-2300	W-3200	-				
Vacuum Motor	(2) 2 Stage	(2) 3 Stage	(3) 2 Stage					
Water Lift	146"	203"	249"					
Air Flow	97 CFM	103 CFM	108 CFM					
Pumps								
100 PSI - Shurflo	0	0	0					
120 PSI - TMI Brand	S	S	S					
170 PSI - TMI Brand	0	0	0					
220 PSI - TMI Brand	0	0	0					
500 PSI - Pumptec	0	0	0					
500 PSI - Cat Pump	0	0	0					
		Power						
120 Volts	S	S	S					
240 Volts	0	0	0					
Max Amps	17.5	14.5/13.5	14.5/13.5					
	/acuum/Solu	tion Hose Le	engths					
10 ft / 10 ft	0	0	0					
15 ft / 15 ft	0	0	0					
25 ft / 25ft	S	S	S					
50 ft / 50 ft	0	0	0	<u> </u>				
	\	<b>Nands</b>						
Autoseal 1-Jet	S	S	S					
Autoseal See Through 1-Jet	0	0	0					
Autoseal Double Bend 1-Jet	0	0	0					
Autoseal 2-Jet	0	0	0					
Autoseal See Through 2-Jet	0	0	0					
Autoseal Double Bend 2-Jet	0	0	0					
	Wheels	and Casters	<b>.</b>					
(4) 3 " Casters	0	0	0					
(2) 2" Casters and (2) 5" Wheels	0	0	0					
(2) 3 " Casters and (2) 10" Wheels	S	S	S					
	Othe	er Options						
Intank Heater	0	0	0	·				
Inline Heater	0	0	0					
Stationary Handle	S	S	S					
	Dimensio	ns and Weig	ıht					
Solution / Recovery Tank Capacity	13/15 Gallon	13/15 Gallon	13/15 Gallon					
Dimensions of Machine Only	37"x22"x30"	37"x22"x30"	37"x22"x30"					
Weight of Machine Only	108 lb							
Shipping Dimensions of Machine and Hose	42"x25"x42"	42"x25"x42"	42"x25"x42"					
Shipping Weight of Machine and Hose	120 lb							
Shipping Dimensions of Wand	13"x13"x66"	13"x13"x66"	13"x13"x66"					
Shipping Weight of Wand	13 lb	13 lb	13 lb	,				

# Mustang



A modern designed, professional carpet cleaning extractor. Durable and easy to use.

Manufacturer of Commercial & Environmental Cleaning Equipment

**Since 1974** 

© 2018 TIMBUCKTOO MFG, INC.

#### Specifications: (M-2200)

(2) 2 Stage vacuum motors [Part #:11639200]

146" Water lift

107 CFM Air flow

#### Pump

120 PSI pump [Part #:866-520-2141]

1.3 GPM Flow rate

#### **Power**

120 Volt AC / 17.5 Amps max (1) 25' 12/3 Gauge power cord

#### Capacity

17 Gallon solution tank and 15 gallon recovery tank

#### **Accessories Included:**

(1) 25' vacuum hose and 25' solution hose assembly [Part #:TA1532570-4MF]

(1) Single jet, 12", Autoseal Wand [Part #:WMPT1V11008JG] (Patented heavy duty self-adjustable suction angle head with adjustable stainless steel grip handle)

(1) Stationary handle

#### **Options:**

Available with 170, 220, and 500 PSI pumps

Output female plug

GFCI (ground fault circuit interrupter)

Side handle

Accoustic muffling system (SILENT KNIGHT)

Force venting system

Pressure gauge

Chemical feed and mixing system

Auto fill and Auto dump systems

Other Autoseal Wands available

Other hand tools and accessories available

Inline heater (210°F max) 🍪

Intank heater with 140° F preset thermostat 🍪



For any specific custom options please contact customer service for availability



#### **Shipping Weight**

286 lb +

#### **Exterior Dimensions**

H 39.5" x W 21" x L 31"

#### Standard Colors

Blue and red

Custom colors available please call customer service

## **Mustang Series**



Mustang	Models			Compare to
Model	M-2200	M-2300	M-3200	
Vacuum Motor	(2) 2 Stage	(2) 3 Stage	(2) 3 Stage	
Water Lift	146"	185"	203"	
Air Flow	107 CFM	107 CFM	107 CFM	
		Pump	S	
60 PSI - TMI Brand	0	0	0	
100 PSI - Shurflo	0	0	0	
120 PSI - TMI Brand	S	S	S	
170 PSI - TMI Brand	0	0	0	
220 PSI - TMI Brand	0	0	0	
500 PSI - Pumptec	0	0	0	
500 PSI - Cat Pump	0	0	0	
		Powe	r	
120 Volts	S	S	S	
240 Volts	0	0	0	
Max Amps	17.5	14.5/13.5	14.5/13.5	
	Vacuur	n/Solution	Hose Lengtl	ns
10 ft / 10 ft	-	· -	-	
15 ft / 15 ft	-	-	-	
25 ft / 25ft	S	S	S	
50 ft / 50 ft	0	0	0	
		Wand	s	
Autoseal 1-Jet	S	S	S	
Autoseal See Through 1-Jet	0	0	0	
Autoseal Double Bend 1-Jet	0	0	0	
Autoseal 2-Jet	0	0	0	
Autoseal See Through 2-Jet	0	0	0	
Autoseal Double Bend 2-Jet	0	0	0	
	V	Vheels and	Casters	
(4) 3 " Casters	-	-	-	
(2) 3 " Casters and (2) 10" Wheels	S	S	S	
		Other Opt	tions	
Intank Heater	0	-	-	
Inline Heater	0	-	-	
Stationary Handle	S	S	S	
	Din	nensions an	d Weight	
Solution / Recovery Tank Capacity	17/15 Gallon	17/15 Gallon	17/15 Gallon	
Dimensions of Machine Only	40"x21"x31"	40"x21"x31"	40"x21"x31"	
Weight of Machine Only	201 lb			
Shipping Dimensions of Machine and Hose	42"x25"x42"	42"x25"x42"	42"x25"x42"	
Shipping Weight of Machine and Hose	286 lb			
Shipping Dimensions of Wand	13"x13"x66"	13"x13"x66"	13"x13"x66"	
Shipping Weight of Wand	13 lb	13 lb	13 lb	

# Hammerhead series



Self-Contained
Soft Surface Portable Extractor

Manufacturer of Commercial & Environmental Cleaning Equipment

**Since 1974** 

© 2018 TIMBUCKTOO MFG, INC.

#### **Specifications: (HHS-1812)**

#### Moto

(1) 3 Stage vacuum motor[Part #: 11676500]

143" Water lift

106 CFM Air flow

#### Pump

120 PSI pump [Part #: 886-520-2141]

1.3 GPM Flow rate

#### Capacity

7.5 Gallon solution tank and 6 gallon recovery tank

#### Power

120 Volt AC  $\,/\,$  16 Amps max

(1) 50' 12/3 Gauge power cord

#### **Features**

Clear dome vacuum lid

Vacuum hose connection

Ergonomically positioned switches with spray button molded and folding handle with a cord storage

Flexible stainless steel cable for knob

Brush motor 1/3 HP(max 2/5 HP)

(3) Rust proof plastic quick release jets for easy clean

Pressurized brush motor chamber avoids water damage

13" nylon brush & engineered rust proof plastic bearings

#### **Options:**

Available with 170 and 220 PSI pumps

Vacuum hose & solution hose

Other Autoseal Wands available

Other hand tools and accessories available

For any specific custom options please contact customer service for availability

#### **Shipping Weight**

85 lb +

#### **Exterior Dimensions**

Fold down handle (L38" X W18" X H30"), Fold up handle (L45" X W18" X H38")

#### **Standard Colors**

Blue / Dark granite

Custom colors available please call customer service









### **Hammerhead Series**



Hammerhea	Co	mpare to							
Model	HHS-1812	BELAIR-2200	BELAIR-SC8						
Vacuum Motor	(1) 3 Stage	(2) 2 Stage	(2) 2 Stage						
Water Lift	143 "	146"	146"						
Air Flow	106 CFM	107 CFM	97 CFM						
Pumps									
100 PSI - Shurflo	-	-	-						
120 PSI - TMI Brand	S	S	S						
170 PSI - TMI Brand	0	0	0						
220 PSI - TMI Brand	0	0	0						
500 PSI - Pumptec	0	0	0						
500 PSI - Cat Pump	0	0	0						
	Power	,							
120 Volts	S	S	S						
240 Volts	0	o	0						
Max Amps	16	17.5	17.5						
	Vacuum/Solution Hose Lengths	,							
10 ft / 10 ft	0	-	0						
15 ft / 15 ft	0	0	0						
25 ft / 25ft	0	S	0						
50 ft / 50 ft	0	0	0						
	Wands	•							
Autoseal 1-Jet	0	S	0						
Autoseal See Throu 1-Jet	0	0	0						
Autoseal Double Bend 1-Jet	0	0	0						
Autoseal 2-Jet	0	0	0						
Autoseal See Throu 2-Jet	0	0	0						
Autoseal Double Bend 2-Jet	0	0	0						
	Wheels and Casters	,							
(4) 3 " Casters	NA	NA	NA						
(2) 10" Wheels	S	S	NA						
(2) 3 " Casters and (2) 10" Wheels	NA	NA	S						
	Other Options								
Intank Heater	NA	NA	NA						
Inline Heater	0	О	0						
Stationary Handle	0	S	S						
	Dimensions and Weight								
Solution / Recovery Tank Capacity	7.5/6 Gallon	15/15 Gallon	15/15 Gallon						
Dimensions of Machine Only	38"x18"x30"	38"x21"x30"	39"x21"x30"						
Weight of Machine Only	79 lb	85 lb	129 lb						
Shipping Dimensions of Machine and Hose	41"x20"x33"	30"x22"x42"	42"x22"x30"						
Shipping Weight of Machine and Hose	85 lb	120 lb	160 lb						
Shipping Dimensions of Wand		13"x13"x66"							
Shipping Weight of Wand		13 lb							
		,							

Comparison sheet in the back

# Apolloseries



www.timbucktoomfg.com (310) 323-1134

Designed with a submersible electric heating system. Constructed with heavy duty fiber composite body, stainless steel lid and handle.

Manufacturer of Commercial & Environmental Cleaning Equipment

Since 1974

© 2018 TIMBUCKTOO MFG, INC.

#### Specifications: (APOLLO-2200)

#### Motor

(2) 2 Stage vacuum motors [Part #: 11639200]

146" Water lift

107 CFM Air flow

#### **Pump**

120 PSI pump[Part #: 866-520-2141]

1.3 GPM Flow rate

#### **Power**

120 Volt AC / 17.5/11 Amps max

(2) 25' 12/3 Gauge power cord

#### Capacity

9 Gallon solution tank and 10 gallon recovery tank

Intank heater with 140° preset thermostat



#### **Accessories Included:**

(1) 15' vacuum hose & 15' high pressure solution hose assembly [Part #:TA1561570-4MF]



(1) Single jet,12", Autoseal Wand [Part #:WMPT1V11002JG] (Patented heavy duty self-adjustable suction angle head with adjustable stainless steel grip handle

(1) Stationary Handle

#### **Options:**

Available with 170, 220, and 500 PSI pumps

GFCI (ground fault circuit interrupter)

Other Autoseal Wands available

Other hand tools and accessories available

- (2) 3" non-marking casters and (2) 10" rear wheels
- (2) 3" non-marking casters and (2) 12" rear wheels

Pressure gauge

For any specific custom options please contact customer service for availability

**Shipping Weight** 

92 lh +

#### **Exterior Dimensions**

H 27" x W 22" x L32"

#### **Standard Colors**

Custom colors available please call customer service





## **Apollo Series**



Apollo Se	Com	pare to		
Model	APOLLO-2200	R-1200HT	R-1200H39	Blitz(B-2200
Vacuum Motor	(2) 2 Stage	(1) 2 Stage	(1) 2 Stage	(2) 2 Stage
Water Lift	146"	82"	82"	146"
Air Flow	97 CFM	97CFM	97CFM	97 CFM
	Pumps			
			•	-
100 PSI - Shurflo	O	o	0	0
120 PSI - TMI Brand	S	S	S	S
170 PSI - TMI Brand	0	0	0	0
220 PSI - TMI Brand	ο	0	0	0
500 PSI - Pumptec	ο	0	0	0
500 PSI - Cat Pump	ο	o	0	0
	Power	'		
120 Volts	S	s	S	S
240 Volts	Ο	o	0	0
Max Amps	17.5/11	19.5	19.5	17.5
Vacuu	m/Solution Hose Lengths	'		
10 ft / 10 ft	-	S	S	0
15 ft / 15 ft	S	0	0	S
25 ft / 25ft	0	0	0	0
50 ft / 50 ft	0	0	0	0
	Wands	-	, -	
Autoseal 1-Jet	S	0	0	S
Autoseal See Throu 1-Jet	0	0	0	0
Autoseal Double Bend 1-Jet	0	0	0	0
Autoseal 2-Jet	0	-	-	0
Autoseal See Throu 2-Jet	0	_	_	0
Autoseal Double Bend 2-Jet	0	-	_	0
	Wheels and Casters	<u> </u>		
(4) 3 " Casters	S	S	S	0
(2) 3 " Casters and (2) 10" Wheels	0	0	0	S
(2) 0 0000000000000000000000000000000000	Other Options			
Intank Heater	S	S	S	0
Inline Heater	0	o	0	0
Stationary Handle	0	0	0	S
	mensions and Weight			
Solution / Recovery Tank Capacity	9 /10 Gallon	4.5 /4 Gallon	4.5 /4 Gallon	10/9 Gallon
Dimensions of Machine Only	27"x21"x 32"	23"x14"x24"	23"x14"x24"	34"x21"x27"
Weight of Machine Only	77 lb	64 lb	64 lb	68 lb
Shipping Dimensions of Machine and Hose	30"x22"x36"	24"x20"28"	24"x20"28"	30"x22"x36"
Shipping Weight of Machine and Hose	92 lb	66 lb	66 lb	90 lb
Shipping Dimensions of Wand	13"x13"x66"	14"x6"x4"	14"x6"x4"	13"x13"x66"
	13 X15 X00			
Shipping Weight of Wand	15 10	3.5 lb	3.5 lb	13 lb

Comparison sheet in the back

# BelAir-SC series

-TMI

Professional self-contained walk behind portable extractor with large capacity tanks. The newly designed power head allows for easy cleaning next to baseboards and walls.

www.timbucktoomfg.com (310) 323-1134

Manufacturer of Commercial & Environmental Cleaning Equipment Since 1974

© 2018 TIMBUCKTOO MFG, INC.

#### **Specifications: (BELAIR-SC8)**

#### Motor

(2) 2 Stage vacuum motors[Part #: 11639200]

146" Water lift

107 CFM Air flow

#### **Pump**

120 PSI pump [Part #: 866-520-2141]

1.3 GPM Flow rate

#### **Power**

120 Volt AC / 18.5 Amps max

(1) 50' 12/3 Gauge power cord

#### Capacity

15 Gallon solution tank and 15 gallon recovery tank

#### **Features**

Spraying system with 5 jets and electronic solenoid 19" Rotating nylon brush with electric motor

#### **Options:**

Available with 170, 220, and 500 PSI pumps

(2) 3 Stage vacuum motors available

Inline heater (210° F max) 🍪

Auto fill and Auto dump system

Output female plug

GFCI (ground fault circuit interrupter)

Single jet, 12", Autoseal Wand [Part #: WMPT1V11008JG] (Patented heavy duty self-adjustable suction angle head with adjustable stainless steel grip handle)

Other Autoseal Wands available

Other Hand tools and accessories available

25' vacuum and 25' solution hose assembly [Part #:TA1532594-4MF]

Other vacuum and solution hoses available


For any specific custom options please contact customer service for availability

#### **Shipping Weight**

160 lb +



**Self-Contained Extractor** 







#### **Exterior Dimensions**

H 39" x W 21" x L 30"

#### **Standard Colors**

Light granite body/ dark granite head

Custom colors available please call customer service

## **BelAir-SC Series**



BelAir-SC S	BelAir-SC Series Models								
Model	BELAIR-SC8	BELAIR-SC8H39	Hammerhead(HHS-1812)	BELAIR-2200					
Vacuum Motor	(2) 2 Stage	(2) 2 Stage	(1) 3 Stage	(2) 2 Stage					
Water Lift	146"	160"	143"	146"					
Air Flow	97 CFM	110 CFM	106 CFM	107 CFM					
Pumps									
-									
100 PSI - Shurflo	-	-	0	0					
120 PSI - TMI Brand	S	S	S	S					
170 PSI - TMI Brand	0	0	0	0					
220 PSI - TMI Brand	0	0	0	0					
500 PSI - Pumptec	0	0	0	0					
500 PSI - Cat Pump	0	0	0	0					
	P	ower							
120 Volts	S	S	S	S					
240 Volts	0	0	0	0					
Max Amps	18.5	17.5/14	16	17.5					
	/acuum/Solut	tion Hose Length	S						
10 ft / 10 ft	-	-	0	-					
15 ft / 15 ft	-	-	0	-					
25 ft / 25ft	0	0	0	S					
50 ft / 50 ft	0	0	0	0					
	V	/ands							
Autoseal 1-Jet	0	0	0	S					
Autoseal See Throu 1-Jet	0	0	0	0					
Autoseal Double Bend 1-Jet	0	0	0	0					
Autoseal 2-Jet	0	0	0	0					
Autoseal See Throu 2-Jet	0	0	0	0					
Autoseal Double Bend 2-Jet	0	0	0	0					
	Wheels	and Casters	•						
(4) 4 " Wheels, (2) 2" Guide Side Wheels,	S	S	NA	NA					
(2) 12" Rear Wheels									
(2) 10" Rear Wheels	NA	NA	S	NA					
(2) 4" Casters and (2)12" Wheels	NA	NA	NA	S					
	Othe	r Options							
Intank Heater	NA	NA	NA	NA					
Inline Heater	0	S	0	0					
Stationary Handle	S	S	S	S					
	Dimensio	ns and Weight							
Solution / Recovery Tank Capacity	15/15 Gallon	15/15 Gallon	7.5/6 Gallon	15/15 Gallon					
Dimensions of Machine Only	39"x21"x30"	39"x21"x30"	45"x18"x38"	38"x21"x30"					
Weight of Machine Only	129 lb	136 lb	79 lb	85 lb					
Shipping Dimensions of Machine and Hose	42"x22"x30"	42"x22"x30"	41"x33"x20"	30"x22"x42"					
Shipping Weight of Machine and Hose	160 lb	174 lb	85 lb	120 lb					
Shipping Dimensions of Wand				13"x13"x66"					
Shipping Weight of Wand				13 lb					
Simplying treight of traile			1	.516					

# www.timbucktoomfg.com

# Absoluteseries

One of the most popular portable extractors on the market. Constructed with heavy duty fiber composite body, and stainless steel lid.

Manufacturer of Commercial & Environmental Cleaning Equipment

Since 1974

© 2018 TIMBUCKTOO MFG, INC.

#### Specifications: (A-2200)

#### Motor

(2) 2 Stage vacuum motors [Part #: 11639200]

146" Water lift

97 CFM Air flow

#### Pump

120 PSI pump [Part #: 866-520-2141]

1.3 GPM Flow rate

#### **Power**

120 Volt AC / 17.5 Amps max

(1) 25' 12/3 Gauge power cord

#### Capacity

5 Gallon solution tank and 5 gallon recovery tank

#### **Accessories Included:**

(1) 15' vacuum hose & 15' solution hose assembly (red) [Part #: TA1531570-4MF]

(1) Single jet, 12", Autoseal Wand [Part #: WMPT1V11008JG] (Patented heavy duty self-adjustable suction angle head with adjustable stainless steel grip handle)

(1) Stationary Handle

#### **Options:**

Available with 170 and 220 PSI pumps

Output female plug

GFCI (ground fault circuit interrupter)

Other Autoseal Wands available

Other hand tools and accessories available

Intank heater with 140° F preset thermostat

Inline heater (210° F max)

For any specific custom options please contact customer service for availability

#### **Shipping Weight**

80 lb +

#### **Exterior Dimensions**

H 25" x W 17" x L 22"

#### **Standard Colors**

Blue and red

Custom colors available please call customer service





### **Absolute Series**

### TIMBUCKTOO MFG., INC.

Absolute S	eries Mode	els	Comp	pare to
Model	A-1200	A-2200	Rebel (R-2200)	Blitz (B-2200)
Vacuum Motor	(1) 2 Stage	(2) 2 Stage	(2) 2 Stage	(2) 2 Stage
Water Lift	82"	146"	146"	146"
Air Flow	97 CFM	97 CFM	97CFM	97CFM
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Pumps	,	
100 DCL Change	•		o	0
100 PSI - Shurflo	O S	O S	S	
120 PSI - TMI Brand	_	_	_	S
170 PSI - TMI Brand	0	0	0	0
220 PSI - TMI Brand	0	0	0	0
500 PSI - Pumptec	-	-	0	0
500 PSI - Cat Pump	-	- Dannari	0	0
		Power	6	
120 Volts	S	S	S	S
240 Volts	0	0	0	0
Max Amps	9	17.5	17.5	17.5
2061206		um/Solution Hose Lengths		·
10 ft / 10 ft	S	-	S	-
15 ft / 15 ft	0	S	0	S
25 ft / 25ft	0	0	0	0
50 ft / 50 ft	-	0	0	0
		Wands		
Autoseal 1-Jet	S	S	S	S
Autoseal See Through 1-Jet	0	0	0	0
Autoseal Double Bend 1-Jet	0	0	0	0
Autoseal 2-Jet	-	-	0	0
Autoseal See Through 2-Jet	-	-	0	0
Autoseal Double Bend 2-Jet	-	<u>-</u>	0	0
		Wheels and Casters		
(4) 3 " Casters	S	S	S	S
(2) 3 " Casters and (2) 10" Wheels	-	-	0	0
		Other Options		
Intank Heater	0	0	0	0
Inline Heater	0	0	0	0
Stationary Handle	0	0	0	0
	D	imensions and Weight		
Solution / Recovery Tank Capacity	5 / 5 Gallon	5 / 5 Gallon	4.5 / 4 Gallon	10 /9 Gallon
Dimensions of Machine Only	25"x17"x22"	25"x17"x22"	23"x14"x24"	34"x21"x27"
Weight of Machine Only	73 lb	73 lb	69 lb	68 lb
Shipping Dimensions of Machine and Hose	28"x20"x30"	28"x20"x30"	28"x20"x30"	28"x20"x30"
Shipping Weight of Machine and Hose	80 lb	80 lb	75 lb	90 lb
Shipping Dimensions of Wand	13"x13"x66"	13"x13"x66"	13"x13"x66"	13"x13"x66"
Shipping Weight of Wand	13 lb	13 lb	13 lb	13 lb

# Rebelseries



Commercial compact carpet cleaning extractor. Constructed with heavy duty fiber composite body, stainless steel lid and handle. Designed for, upholstery, carpet cleaning, and the auto detail business.

Manufacturer of Commercial & Environmental Cleaning Equipment

Since 1974

© 2018 TIMBUCKTOO MFG, INC.

#### **Specifications: (R-2200)**

#### Motor

(1) 2 Stage vacuum motor [Part #: 11639200]

82" Water lift

97 CFM Air flow

#### **Pump**

120 PSI Pump [Part #: 866-560-2141]

1.0 GPM Flow rate

#### **Power**

120 Volt AC / 9.5 Amps max

(1) 25' 12/3 Gauge power cord

4.5 Gallon solution tank and 4 gallon recovery tank

#### **Accessories Included:**

(1) 10' vacuum hose and 10' solution hose assembly [Part #:TA1531050-4MF]

(1) Single jet, 12", Autoseal Wand [Part #: WMPT1V11002JG] (Patented heavy duty self-adjustable suction angle head with adjustable stainless steel grip handle)

#### **Options:**

Available with 100, 120, 170, and 220 PSI pumps

Additional vacuum motors available

Stationary handle

Long stationary handle

(2) 3" non-marking casters & (2) 10" rear wheels

Accoustic muffling system

Other Autoseal Wands available

Other hand tools and accessories available

For any specific custom options please contact customer service for availability


#### **Shipping Weight**

75 lb +

#### Standard Colors

Blue and red

Custom colors available please call customer service







Picture shown car carpet

Picture shown with optional long stationary handle and 10" rear wheels.

#### **Exterior Dimensions:**

H 23" x W 14" x L 24"

#### CAUTION: Do not use flammable and volatile material.

Comparison sheet in the back

### **Rebel Series**



Rebel M	Rebel Models			
Model	R-1200	R-1300	R-2200	
Vacuum Motor	(1) 2 Stage	(1) 3 Stage	(2) 2 Stage	
Water Lift	82"	137"	146"	
Air Flow	97 CFM	101 CFM	97 CFM	
		Pumps		
100 PSI - Shurflo	0	0	0	
120 PSI - TMI Brand	S	S	S	
170 PSI - TMI Brand	0	0	0	
220 PSI - TMI Brand	0	0	0	
500 PSI - Pumptec	NA	NA	NA	
500 PSI - Cat Pump	NA	NA	NA	
		Power		
120 Volts	S	S	S	
240 Volts	0	0	0	
Max Amps	9.5	14.5	17.5	
	Vacuum/	Solution H	ose Length	s
10 ft / 10 ft	S	S	S	
15 ft / 15 ft	0	0	0	
25 ft / 25ft	0	0	0	
50 ft / 50 ft	0	0	0	
		Wands		
Autoseal 1-Jet	S	S	S	
Autoseal See Through 1-Jet	0	0	0	
Autoseal Double Bend 1-Jet	0	0	0	
Autoseal 2-Jet	-	-	-	
Autoseal See Through 2-Jet	-	-	-	
Autoseal Double Bend 2-Jet			-	
	Wh	eels and C	asters	
(4) 3 " Casters	S	S	S	
(2) 2" Casters and (2) 5" Wheels	0	0	0	
(2) 3 " Casters and (2) 10" Wheels	0	0	0	
	(	Other Option	ons	
Intank Heater	0	0	0	
Inline Heater	0	0	0	
Stationary Handle	S	S	S	
	Dime	nsions and	Weight	
Solution / Recovery Tank Capacity	4.5/4 Gallon	4.5/4 Gallon	4.5/4 Gallon	
Dimensions of Machine Only			23"x14"x24"	
Weight of Machine Only	69 lb			
Shipping Dimensions of Machine and Hose	28"x20"x30"	28"x20"x30"	28"x20"x30"	
Shipping Weight of Machine and Hose	75 lb			
Shipping Dimensions of Wand		13"x13"x66"	13"x13"x66"	
Shipping Weight of Wand	13 lb	13 lb	13 lb	
,				

Comparison sheet in the back

# Swanseries



Efficiency and power in a small package. Ideal for spotting and quick cleaning of small carpeted areas, upholstery and auto interiors.

Manufacturer of Commercial & Environmental Cleaning Equipment

**Since 1974** 

© 2018 TIMBUCKTOO MFG, INC.

#### Specifications: (SW-1)

#### Motor

(1) 2 Stage vacuum motor [Part #: 11639200]

82" Water lift

97 CFM Air flow

#### Pump

60 PSI pump [Part #: ET508224B]

0.37 GPM Flow rate

#### **Power**

120 Volt AC / 9.5 Amps max

(1) 25' 12/3 Gauge power cord

2 Gallon solution tank and 3.5 gallon recovery tank

#### **Accessories Included:**

(1) 4" detail hand tool [Part #: HTA-1JQ]

(1) 4', 3 in 1, stretch vacuum hose (only) [Part#:TVA160499]

(1) 12' solution hose (only)

#### **Options:**

Inline heater (210° F max) &



Other hand tools and accessories available

For any specific custom options please contact customer service for availability




38 lbs +

#### **Exterior Dimensions**

H 23" x W 13"x L 26"

#### **Standard Colors**

Grey granite







### **Swan Series**

### TIMBUCKTOO MFG, INC.

Swan	Models	Compare to
Model	SW-1	Rebel(R-1200)
Vacuum Motor	(1) 2 Stage	(1) 2 Stage
Water Lift	82"	82"
Air Flow	97 CFM	97 CFM
	Pumps	The state   The
	•	
60 PSI - Flowjet	S	o
100 PSI - Shurflo	NA	0
120 PSI - TMI Brand	NA	S
170 PSI - TMI Brand	NA	0
220 PSI - TMI Brand	NA	0
500 PSI - Pumptec	NA	0
500 PSI - Cat Pump	NA	0
	Power	
120 Volts	S	s
240 Volts	NA	0
Max Amps	9.5	9.5
	Vacuum/Solution Hose Lengths	
10 ft / 10 ft	0	S
15 ft / 15 ft	0	0
25 ft / 25ft	0	0
50 ft / 50 ft	-	0
	Wands	
Autoseal 1-Jet	-	S
Autoseal See Through 1-Jet	-	0
Autoseal Double Bend 1-Jet	-	0
Autoseal 2-Jet	-	0
Autoseal See Through 2-Jet	-	0
Autoseal Double Bend 2-Jet	-	0
	Wheels and Casters	
(4) 3 " Casters	NA	S
(2) 2" Casters and (2) 5" Wheels	S	0
(2) 3 " Casters and (2) 10" Wheels	NA	0
	Other Options	
Intank Heater	NA	0
Inline Heater	0	0
Stationary Handle	NA	S
	Dimensions and Weight	,
Solution / Recovery Tank Capacity	2/3.5 Gallon	4.5/4 Gallon
Dimensions of Machine Only	23"x13"x26"	23"x14"x24"
Weight of Machine Only	30 lb	69 lb
Shipping Dimensions of Machine and Hose	24"x20"x28"	28"x20"x30"
Shipping Weight of Machine and Hose	38 lb	75 lb
Shipping Dimensions of Wand	-	13"x13"x66"
Shipping Weight of Wand	-	13 lb
Shipping Dimensions of Hand Tool	14"x6"x4"	
Shipping Weight of Hand Tool	3.5 lb	
	, , ,	

# **Standard Auto-Seal Wand**



Manufacturer of Commercial & Environmental Cleaning Equipment

Since 1974

© 2018 TIMBUCKTOO MFG, INC.



#### 12" Heavy Duty Self-Adjustable

Chemically resistant.

1.5" polished stainless steel vacuum tube.

Weight: 6.5 lb. (light weight)

Splashquard.

Adjustable grip handle.

1-jets.\*

Forged brass valve, rated at 1000 PSI.\*

Overall Length: 62.5" \*

#### \*Optional Items available:

Other spray jets.

2-jet and 3-jets.

Other valves.

Extra length of stainless

steel tube.

Other quick connectors.

### AUTO-SEAL = BETTER SUCTION AT MOST ANGLES

### Comparison





Autoseal Wand head = 5 years All other parts of Autoseal Wand = 1 year

Normal or natural wear and tear. Repairs have been made or attempted by others Items have been abused, misused or improperly maintained.

Modifications or alterations have been made to the equipment.



# **Water Pick-Up Auto-Seal Wand**



Manufacturer of Commercial & Environmental Cleaning Equipment

**Since 1974** 

© 2018 TIMBUCKTOO MFG, INC.

#### EFFICIENT and EFFORTLESS

12" Heavy Duty Self-Adjustable (w/o jets)

Chemically resistant. 1.5" polished stainless steel vacuum tube. Weight: 6.5 lb. (light weight) Splashquard. Adjustable grip handle. Overall Length: 62.5" \*

#### \*Optional Items available:

Extra length of stainless steel tube. Other quick connectors.

#### Other Water Pick-Up Wands available:

Auto-Seal See Through [Part #: W0PV000G] Auto-Seal See Through Double Bend [Part #: W0QM000G]

#### AUTO-SEAL = BETTER SUCTION AT MOST ANGLES

#### Comparison



#### WARRANTY

Autoseal Wand head = 5 years All other parts of Autoseal Wand = 1 year Normal or natural wear and tear.

Repairs have been made or attempted by others Items have been abused, misused or improperly maintained. Modifications or alterations have been made to the equipment.



# Double Bend Auto-Seal Wand (WMQT2T11004JG)



Manufacturer of Commercial & Environmental Cleaning Equipment

Since 1974

© 2018 TIMBUCKTOO MFG, INC.

#### EFFICIENT and EFFORTLESS

#### 12" Heavy Duty Self-Adjustable

Chemically resistant.
1.5" polished stainless steel vacuum tube.
Weight: 6.5 lb. (light weight)
Splashguard.
Adjustable grip handle.
2-jets.\*
Forged brass valve, rated at 1000 PSI.\*

#### \*Optional Items available:

Other spray jets.
1-jet and 3-jets.
Other valves.
Extra length of stainless steel tube.
Other quick connectors.

Overall Length: 62.5" \*



AUTO-SEAL = BETTER SUCTION AT MOST ANGLES

### Comparison



# See Through Auto-Seal Wand



Manufacturer of Commercial & Environmental Cleaning Equipment

Since 1974

©2018 TIMBUCKTOO MFG, INC.

#### **EFFICIENT and EFFORTLESS**

#### 12" Heavy Duty Self-Adjustable

Chemically resistant.

1.5" polished stainless steel vacuum tube.

Weight: 6.5 lb. (light weigth)

Splashguard.

Adjustable grip handle.

1-jet. \*

Forged brass valve, rated at 1000 PSI. \*

Overall Length: 62.5" \*

#### \*Optional Items available:

Other spray jets.

2-jets and 3-jets.

Other valves.

Extra length of stainless steel tube.

Other quick connectors.



#### WARRANTY


Autoseal Wand head = 5 years All other parts of Autoseal Wand = 1 year

Normal or natural wear and tear.

Repairs have been made or attempted by others Items have been abused, misused or improperly maintained.

Modifications or alterations have been made to the equipment.





#### Comparison



## See Through **Double Bend Auto-Seal Wand**



(310) 323-1134

Manufacturer of Commercial & Environmental Cleaning Equipment

**Since 1974** 

©2018 TIMBUCKTOO MFG, INC.

AT MOST ANGLES

#### EFFICIENT and EFFORTLESS

#### 12" Heavy Duty Self-Adjustable

Chemically resistant. 1.5" polished stainless steel vacuum tube. Weight: 6.5 lb. (light weight) Splashguard. Adjustable grip handle.

2-iets.\*

Forged brass valve, rated at 1000 PSI.\*

Overall Length: 62.5" \*

#### \*Optional Items available:

Other spray jets. 1-jet and 3-jets. Other valves.

Extra length of stainless steel tube.

Other quick connectors.



Autoseal Wand head = 5 years All other parts of Autoseal Wand = 1 year

Normal or natural wear and tear.

Repairs have been made or attempted by others Items have been abused, misused or improperly maintained.


Modifications or alterations have been made to the equipment.



Patent No. US D455,532S US D678,214S US 8528,159 B2 TMI's Auto-Seal Traditional Standard Wand Head Wand Head

AUTO-SEAL = BETTER SUCTION

Comparison



**MAXIMUM SUCTION** when held at different angles NO SUCTION when held at different angles

# OFT SURFACE

# Auto-Seal Stair Wand ATTACHMENT TOOL



Manufacturer of Commercial & Environmental Cleaning Equipment

Since 1974

©019 TIMBUCKTOO MFG, INC.

### EFFICIENT and EFFORTLESS

#### SINGLE Bend

Overall Length: 22" or 27"

1000 PSI valve or 3000 PSI valve pistol grip



- Single jet
- Stainless steel solution line
- 1.5" Polished stainless steel vacuum tube
- 12" Wide self-adjustable
- Weight: 3.5 lbs +

#### **Optional Items:**

Bypass system

Other quick connectors 2-jets and 3-jets Other spray jets Adjustable grip handle Extra length of stainless steel tube

patent no. US D455,532 S patent no. US D678,214S

US 8,528,159 B2



#### **DOUBLE Bend**

Overall Length: 29" or 37"
1000 PSI valve or 3000 PSI valve pistol grip



# 3000 PSI Valve Double Bend Auto-Seal Wand



Manufacturer of Commercial & Environmental Cleaning Equipment

**Since 1974** 

© 2018 TIMBUCKTOO MFG, INC.

#### EFFICIENT and EFFORTLESS

### MADE IN USA

#### 12", Heavy Duty Self-Adjustable

Chemically resistant.

Bypass valve to control heat and pressure Stainless steel solution lines

Weight: 12 lbs.

1.5" Polished stainless steel vacuum tube

Vinyl covered adjustable grip

Double bend construction for ease of use

Splash guard

Connects to 1/4" male Q.C.

Forged brass valve, rated at 3000 PSI \*

2 T-jets \*

Overall Length: 62.5" \*

#### **Optional Items available:**

Other spray jets. 1-jet and 3-jets.

Other valves.

Extra length of stainless steel tube.

Other quick connectors.

Picture shown 3000 PSI bypass wand with optional: truckmount, vacuum hose, and hose reel.



NOTE: \* Some options may not be used with standard specifications.

\* Hose length can be added 5 ft. increments up to 50 ft. per length.

### Power Wand ATTACHMENT



Height adjustment (patented electric

handle position system with manual override), positive action, no slippage

www.timbucktoomfg.com (310) 323-1134

A professional wand designed to clean large areas. This wand can be attached to most portable extractors.

Manufacturer of Commercial & Environmental Cleaning Equipment Since 1974 © 2018 ТІМВИСКТОО МЕG, INC.

#### Specifications: (PW-916)

#### **Features**

Heavy duty fiber composite cover

Spraying system: 6 jets with electronic solenoid valve

Stainless steel handle

Permanent magnet brush driving motor

Dual lever action main switch

(2) non-marking 4" wheels

Brush speed: 1350 RPM

17" width cleaning path

Working Pressure: 150 PSI (max)

Electric solenoid valve for solution dispensing

#### **Power**

120 Volt AC / 3 Amps max

(1) 50' 18/3 Gauge power cord

#### **Shipping Weight**

75 lb +

#### **Exterior Dimensions**

H 46"x W 18" x L16"

#### **Standard Colors**

Blue and red



CAUTION: Do not use flammable and volatile material.

NOTE: \* Some options may not be used with standard specifications.

\* Hose lenght can be added 5 ft. increments up to 50 ft. per length.

p1

# Hand tool

www.timbucktoomfg.com (310) 323-1134

Professionally designed to ensure comfort and quality for the carpet cleaner.

Manufacturer of Commercial & Environmental Cleaning Equipment © 2019 TIMBUCKTOO MFG, INC. **Since 1974** 

#### 4" Aluminum Box Head

4" Wide enclosed vacuum path.

1 Vee jet (1/4").

Forged brass control valve, rated at 1000 PSI.

Stainless steel line with 1/4" quick connect.

Heavy duty polished cast aluminum and stainless steel construction.

1.5" Stainless steel vacuum tube.

Length: 15.5" Weight: 2.5 lb +

HTA-1JM

W4" x L1" x D1" wide enclosed head to contain overspray, ideal for ceiling cleaning.

1 Vee jet (1/4").

Forged brass control valve, rated at over 1000 PSI.

High pressure flex line with 1/4" quick connect.

Heavy duty polished cast aluminum and stainless steel construction.

Vinyl covered lever for stress free handling.

1.5" stainless steel vacuum tube.

Weight: 2.5 lb + HTA-3JM





#### 4" Aluminum Box Head

4" Upholstery tool.

5' Vacuum and solution hose for less fatigue.

1 Vee jet (1/4").

Forged brass control valve, rated at 1000 PSI.

Stainless steel line with 1/4" quick connect.

Weight: 5 lb +

HT-4TM-94



W4" x L1" x D1" wide enclosed head to contain overspray, ideal for ceiling cleaning.

1 Vee jet (1/4").

Forged brass control J-valve, rated at over 1000 PSI.

1/4" Quick connect.

Heavy duty polished cast aluminum and stainless steel construction.

1.5" Stainless steel vacuum tube.

Weight: 2.5 lb +

HTA-3KM



# Hand tool 4" wide enclosed vacuum path



**p2** 

Manufacturer of Commercial & Environmental Cleaning Equipment

**Since 1974** 

© 2018 TIMBUCKTOO MFG, INC.



Picture shown HTA-3KM with 4" wide enclosed head for ceiling cleaning

Optional Items available: Quick connectors Spray jets Extra length of stainless steeltube Vacuum hoses 3000 PSI or higher PSI valves



#### STAINLESS STEEL HEAD

# Hand tool

Professionally designed to ensure comfort and quality for the carpet cleaner.



(310) 323-1134

p1

Manufacturer of Commercial & Environmental Cleaning Equipment

**Since 1974** 

© 2018 TIMBUCKTOO MFG, INC.

#### 4" UPHOLSTERY TOOL

#### HT-115JM

4" Wide vacuum path
Short clean design, ideal for upholstery
Smooth head for improved suction
Easy access single nozzle, precise pattern
Forged brass control valve, rated at over 1000 PSI
Vinyl covered handle
1 Vee jet (1/4")
H.D. polished stainless steel construction
High pressure flex line with quick connect.
1.5" stainless steel vacuum tube

Length: 11" Weight: 1.6 lb +



### 4" STANDARD DETAIL TOOL

#### HT-131JM

4" Wide vacuum path
Long reach vacuum head
Easy access single nozzle, precise pattern
Forged brass control valve, rated at over 1000 PSI
Vinyl covered handle
1 Vee jet (1/4")
H.D. polished stainless steel construction
High pressure flex line with quick connect
1.5" stainless steel vacuum tube
Length: 11"
Weight: 1.6 lb +





CAUTION: Do not use flammable and volatile material.

SPECIFICATIONS, FEATURES, ILLUSTRATIONS AND EQUIPMENT SHOWN IN THE CATALOG ARE BASED UPON THE LATEST INFORMATION AT THE TIME OF PUBLICATION. ALTHOUGH DESCRIPTIONS ARE BELIEVED TO BE CORRECT AT THE TIME OF PUBLICATION, SPECIFICATIONS ACCESSORIES, COLOR, MATERIAL, MODELS AND IMPROVEMENTS ARE SUBJECT TO CHANGE WITHOUT NOTICE. LIMITED WARRANTIES: SEE OWNERS MANUAL, ORDINARY MAINTENANCE ITEMS OR ADJUSTMENTS, PARTS SUBJECT TO NORMAL WEAR, AND OTHER CERTAIN ITEMS ARE EXCLUDED FROM WARRANTY. PROPOSITION 65 WARRINING: THIS PRODUCT CONTAINS CHEMICALS KNOWN TO THE STATE OF CALIFORNIX TO CAUSE CANCER, BIRTH DEFECTS OR OTHER REPORDUCTIVE HARM. PROPOSITION 65 ADVERTENCIA: Este producto contiene substancias quimicas conocidas por el estado de California como causantes de cancer, anomalias congenitas y oftos daños reproductivos.

SOFT SURFACE

### **STAINLESS STEEL HEAD**

### Hand tool



Professionally designed to ensure comfort and quality for the carpet cleaner.

**p2** 

Manufacturer of Commercial & Environmental Cleaning Equipment

**Since 1974** 

© 2018 TIMBUCKTOO MFG, INC.

# 3"SELF-ADJUSTABLE SUCTION ANGLE & LOW PROFILE DESIGN

### HT-120TM

**Patented Design** 

3" Stainless steel head
Low profile design for hard to reach areas
1 Vee jet (1/4")
400 PSI rated valve and male quick connect
H.D. polished stainless steel construction
1.5" Stainless steel vacuum tube
Length: 15.5"
Weight: 2.0 lb. +





### 5" STAINLESS STEEL HEAD

### HT-109JM

Short design, ideal for upholstery

1 Vee jet (1/4")

J-valve, rated at 1000 PSI

Spraying area contained with side shield

H.D. polished stainless steel construction

High pressure flex line with quick connect

1.5" Stainless steel vacuum tube

Length: 13" Weight: 2.0 lb. +

5" Stainless steel head



### 4.7" SLOTTED OPENING DESIGN

### HT-107JM

4.7" Stainless steel head slotted opening
Short design, ideal for upholstery
1 Vee jet (1/4")
J-valve, rated at 1000 PSI
Spraying area contained with side shield
H.D. polished stainless steel construction
High pressure flex line with quick connect
1.5" Stainless steel vacuum tube

Length: 13" Weight: 2.0 lb. +







### **SPECIALTY HAND TOOL**

### Hand tool



(310) 323-1134

Professionally designed to ensure comfort and quality for the carpet cleaner.

© 2018 TIMBUCKTOO MFG, INC.

Manufacturer of Commercial & Environmental Cleaning Equipment

**Since 1974** 

### ATU-1310J

3.5" Head hand tool for congested areas with a single jet. Enclosed spray head prevents from overspray. 1000 PSI rated valve and 1/4" male Q.C.

Weight: 1.5 lb. Length: 17"

Caution: This tool is intended for use with Electrical Units and Truckmount Units(L.P. fuel and gasoline) Only.



### ATU-1812J

8" Head hand tool for congested areas with 3 external shielded jets. Enclosed spray head prevents from overspray. 1000 PSI rated valve and 1/4" male Q.C.

Weight: 3.5 lb. Length: 17"

Caution: This tool is intended for use with Electrical Units and Truckmount Units(L.P. fuel and gasoline) Only.



### ATB-5109J

H5" x L1" Vertical tool with brush with a single jet for hard surface areas. 1000 PSI rated valve and 1/4" Male Q.C.

Specially designed for hard to reach corners and edges of small areas.

Weight: 3.5 lb. Length: 14.5"





Caution: This tool is intended for use with Electrical Units and Truckmount Units(L.P. fuel and gasoline) Only.

### ATC-6512J

6.5" Wide enclosed head with 2 jets to contain overspray and ideal for ceiling areas. 1000 PSI rated valve and 1/4" Male Q.C.

Weight: 5 lb. Length: 27"



Caution: This tool is intended for use with Electrical Units and Truckmount Units(L.P. fuel and gasoline) Only.

### ATC-6524J

6.5" Wide enclosed head with a single jet to contain overspray. 39" Long for hard to reach ceiling areas.

1000 PSI rated valve and 1/4" Male Q.C. Weight: 6 lb.

Length: 39"

Caution: This tool is intended for use with Electrical Units and Truckmount Units(L.P. fuel and gasoline) Only.

### Crevice tool



Professionally designed to ensure comfort and quality for the carpet cleaner.

Manufacturer of Commercial & Environmental Cleaning Equipment

**Since 1974** 

© 2018 TIMBUCKTOO MFG, INC.

### and edges of relatively small areas



### CT-5JM

Crevice tool with **external spray**.

Constructed with heavy duty 1.5" O.D. 304 stainless steel tube. Total length: 17", width: 5", suction area: 2.5" wide. 1000 PSI valve. Total weight: 2 lbs.



Crevice tool with **internal spray**, to prevent overspray. Constructed with heavy duty 1.5" O.D. 304 stainless steel tube. Total length: 23", width: 5", suction area: 2.5" wide. 1000 PSI valve. Total weight: 2.5 lbs.

### **CT-103JM**

Crevice tool with **internal spray**, to prevent overspray. Constructed with heavy duty 1.5" O.D. 304 stainless steel tube. Total length: 36", width: 5", suction area: 2.5" wide. 1000 PSI valve. Total weight: 3.0 lbs.

### **CT-106JM**

Crevice tool with **external spray** and longer tubing which provides a more comfortable operation. Constructed with heavy duty 1.5" O.D. 304 stainless steel tube. Total length: 42", width: 5", suction area: 2.5" wide. 1000 PSI valve. Total weight: 3.5 lbs.



### **CT-107JM**

Deluxe crevice tool with **internal spray**, to prevent overspray with longer tubing which provides a more comfortable operation. Constructed with heavy duty 1.5" O.D. 304 stainless steel tube. Total length: 48", width: 5", suction area: 2.5" wide. 1000 PSI valve with brush. Tool weight: 4 lb.

**Optional items:** S-valve (3000 PSI), U-valve (5000 PSI), bypass valve, other quick connectors, other spray jets, and extra length of stainless steel tube available.

NOTE: \* Some options may not be used with standard specifications.

### Stair tool

Professionally designed to ensure comfort and quality for the carpet cleaner. Specially designed for hard to reach areas and stairs.



Manufacturer of Commercial & Environmental Cleaning Equipment

**Since 1974** 

© 2018 TIMBUCKTOO MFG, INC.

### **STAIR TOOL, 18"**

(WMMC2V9503JG)

Designed for cleaning stairs and tight areas





Single 15° bend construction for ease of use.

18" length allow cleaning on stairs and tight locations such as closets.

Can be used as a wide upholstery tool for fast cleaning.

Ideal for mattress cleaning.

Stainless steel solution lines.

Forged brass valve, rated at 1000 PSI, with exclusive soft opening feature.

High pressure flex line with quick connect.

Vinyl covered, oval shaped aluminum adjustable grip.

Polished stainless steel construction tube.

1.5" vacuum tube.

10" wide vacuum head.

2 jet for wide and even spray patterns. Weight: 4.2 lb.

### **STAIR TOOL, 29"**

(WMMD2V9503HG)

Designed for upright cleaning on stairs





Double bend construction for ease of use.

29" length to allow upright cleaning on stairs, preferred by many professionals.

Stainless steel solution lines.

Forged brass valve, rated at 1000 PSI, with exclusive soft opening feature.

Vinyl covered, oval shaped aluminum adjustable grip.

Polished stainless steel construction tube.

1.5" vacuum tube.

10" wide vacuum head.

2 jet design for wide and even spray patterns. Weight: 5 lb.

### STAIR TOOL, 40"

(WMME2V9503HG)

Designed for upright cleaning on stairs



Double bend construction for ease of use.

40" length to allow upright cleaning on stairs, preferred by many professionals.

Stainless steel solution lines.

Forged brass valve, rated at 1000 PSI, with exclusive soft opening feature.

Vinyl covered, oval shaped aluminum adjustable grip.

Polished stainless steel construction tube.

1.5" vacuum tube.

10" wide vacuum head.

2 jet design for wide and even spray patterns. Weight: 5.6 lb.

# 12" Double Bend Solid Wand



**Stainless Steel Winged** 

Manufacturer of Commercial & Environmental Cleaning Equipment

Since 1974

© 2018 TIMBUCKTOO MFG, INC.

### **Specifications:**

12" Wide stainless steel head 2 V jets and 2 T jets available Flashguard Forged brass valve, rated at 1000 PSI Vinyl covered adjustable grip 1.5 " Polished stainless steel tube Stainless steel solution line Overall Length: 62" Weight: 6.6 lb

### **Optional Items available:**

Other quick connectors
Other spray jets
Extra length of stainless steel tube





### 12" Solid Wand

**Stainless Steel Winged** 



Manufacturer of Commercial & Environmental Cleaning Equipment

Since 1974

© 2018 TIMBUCKTOO MFG, INC.

### **Specifications:**

12" wide Stainless Steel Head
1 V jet, 2 V jet, 2 T jet and 3 T jet available
Flashguard
Forged brass valve, rated at 1000 PSI
Vinyl covered adjustable grip
1.5" Polished stainless steel tube
Stainless steel solution line
Overall Length: 62"
Weight: 6.8 lb







CAUTION: Do not use flammable and volatile material.



Other quick connectors
Other spray jets
Extra length of stainless
steel tube available

### HARD SURFACE



EFFICIENT
EFFORTLESS
ECONOMICAL
HEAVY DUTY



# Whispper



www.timbucktoomfg.com (310) 323-1134

Whispper is a new age extractor with a wet and dry vacuum system. Easy access waist high switches located on the handle.

Manufacturer of Commercial & Environmental Cleaning Equipment

**Since 1974** 

© 2018 TIMBUCKTOO MFG, INC.

### Specifications: (Whispper-XO)

### Motor

(2) 2 stage vacuum motor [Part #:11639200]

150" Water lift

107 CFM Air flow

### Pump

1500 PSI (max) adjustable pump (oil bath path/piston driven high performance pump) [Part #:2221BPH]

2.1 GPM Flow rate

### **Power**

120 Volt AC / 17.5 / 17.5 Amps max

(2) 50' 12/3 Gauge power cords

### Capacity

13 Gallon solution tank and 15 gallon recovery tank

### **Features**

Output female plug

Auto fill and Auto dump system

Pressure gauge

### **Accessories Included:**

(1) 12", 3000, squeegee wand with internal 4 jets and grip handle [Part #:SM1260SS4MSG]

(1) 25' vacuum hose & 25' solution hose assembly [Part #:TA1562550-6UV]

(1) 50' auto fill hose [ Part #:THA3502AF]

(1) 50' auto dump hose (3/8"I.D.) [ Part #:THA3503DG]

### **Options:**

Additional vacuum motors available

Other Autoseal Wands available

Other hand tools and accessories available

Inline Heater (210° F max)



For any specific custom options please contact customer service for availability

### **Shipping Weight**

250 lb +

### **Exterior Dimensions**

H 37" x W 22" x L 30"

### **Standard Colors**

Grey granite top /black bottom



Picture shown W-1500 with

optional Cheetah attachment [Part #: CH-100].

Comparison sheet in the back

# Mustang series



Professional hard surface cleaning machine. Constructed with heavy duty fiber composite body, stainless steel lid and handle.

Manufacturer of Commercial & Environmental Cleaning Equipment

Since 1974

© 2018 TIMBUCKTOO MFG, INC.

### **Specifications:** (Mustang-XO)

### Motor

(2) 2 stage vacuum motors [Part #: 11639200]

150" Water lift

107 CFM Air flow

### **Pump**

1500 PSI pump (max) adjustable pump (oil bath path/ piston driven high performance pump) [Part #: 2221BPH]

2.1 GPM Flow rate

### **Power**

120 Volt AC / 17.5/17.5 Amps max

(2) 50' 12/3 Gauge power cords

### Capacity

17 Gallon solution tank and 15 gallon recovery tank

### **Features**

Output female plug

GFCI(ground fault circuit interrupter)

Pressure gauge

Auto fill and Auto dump system

### **Accessories Included:**

(1) 25' vacuum hose and 25' solution hose assembly [Part #:TA1562550-6UV]

(1) 12" 3000 PSI Squeegee Wand 4 jets with grip handle [Part #: SM1260SS4MSG]

(1) Stationary handle

(1) 50' Auto fill hose [Part #: THA3502AF]

(1) 50' auto dump hose (3/8"I.D.) [ Part #:THA3503DG]

### **Options:**

Parallel vacuum setup

Chemical feed and mixing system

Side handle

Faucet adapter kit

Other squeegee wands and jets available

Other hand tools and accessories available

For any specific custom options please contact customer service for availability

**Exterior dimensions** 

Shipping weight

250 lb +

### Standard colors

Blue and red

Custom colors available please call customer service



### Stingray ATTACHMENT TOOL



Designed to quickly clean most hard surfaces, such as V.C.T. and tile floors with or without grout joints, granite, marble, concrete, cement, irregular surfaces, and more.

Manufacturer of Commercial & Environmental Cleaning Equipment

**Since 1974** 

Right handle for the

two rotating jets

© 2018 TIMBUCKTOO MFG, INC.

Left handle for

the corner jet

### Specifications: (Stingray-1200)

### Features

Rotationally molded polyethylene and stainless steel body

Rated from 100 to 3000 PSI

Two rotating jets and One corner jet

Stainless steel with ceramic rotation fitting

Comfortable pistol grips on handle assembly (The grips provide ease when working long hours)

Bristle skirts and squeegee blades with 360° angle

Limited warranty 5 years on poly body, 1 year on parts and 90 days on labor

### **Shipping weight**

25 lb +

### **Exterior Dimensions**

Overall height: 47"

Base width oval: 15" x 12"

Base height: 1-3/4"

### Standard colors

Blue granite

Custom colors available please call customer service



Two rotating jets and one corner jet



Bottom view of Stingray

### Hydro-Blade ATTACHMENT TOOL



Designed to quickly clean most hard surfaces, such as tile floors with or without grout joints, granite, marble, concrete, cement, irregular surfaces, and more.

(310) 323-1134

Manufacturer of Commercial & Environmental Cleaning Equipment

**Since 1974** 

© 2018 TIMBUCKTOO MFG, INC.



### Specifications: (HB-2519A-SQW)

### **Features**

Rotationally molded polyethylene and stainless steel body

Pump rated from 100 to 5000 PSI

(2) Stainless steel jets

Stainless steel with ceramic rotation fittings

Comfortable pistol grips on handle assembly (the grips provide ease when working long hours)

(4) multi-directional outdoor and uneven surface wheels

Bristle skirts and squeegee blades with 360° angle

Limited warranty 3 years on poly body, 1 year parts and 90 days labor

### Power

120 Volt AC/ 1.3 Amps max

(1) 50' 18/3 Gauge power cord

### **Options:**

Without motor

### **Dimensions**

Overall height: 46"

Base width oval: 22" x 19" to 25" x 19" (with squeegee wings)

Base height: 5-3/4"

### **Shipping weight**

55 lb +


### Standard colors

Grey granite




Bottom view of Hydro-Blade





TMI'S F.A.S.T. TECHNOLOGY



### Cheetah



Designed to quickly clean any hard surface, such as VCT, tile floors, granite, marble, concrete, cement, irregular surfaces, and a lot more.

(310) 323-1134

P1

Manufacturer of Commercial & Environmental Cleaning Equipment

**Since 1974** 

© 2018 TIMBUCKTOO MFG, INC.

### Specifications: (CH-1000)

### **Features**

Molded polyethylene and stainless steel body Rated from 100 to 3000 PSI

(2) Stainless steel rotating jets
Stainless steel with ceramic rotation fitting
Handle becomes wand for squeegee tools
(4) 2" x 1-1/4" rear wheels

Bristle skirts and squeegee blades with 360° angle 220° F (max) heat range

### **Power**

120 Volt AC/ 1.0 Amps max (1) 50' 18/3 Gauge power cord

### **Shipping Weight**

26 lb +

### **Exterior Dimensions**

Overall length of tube handle: 75-1/2"

Base width: 13" x 11"
Base height: 5-3/4" **Standard Colors** 

### Standard Cold

Gray granite

### Specifications: (CH-100)

Specifications are the same as the CH-1000 without the tube handle

### **Shipping Weight**

19 lb+





Picture shown Cheetah CH-100

CH-100 is designed for wall cleaning, counter top cleaning and small areas



### Cheetah ATTACHMENT TOOL



P2

Manufacturer of Commercial & Environmental Cleaning Equipment

Since 1974

© 2018 TIMBUCKTOO MFG, INC.




**F.A.S.T. TECHNOLOGY** 



Countertop & Floor









### Crevice

www.timbucktoomfg.com
(310) 323-1134

Professionally designed for hard to reach corners and edges of relatively small areas.(carpet and hard surfaces)

Manufacturer of Commercial & Environmental Cleaning Equipment

**Since 1974** 

© 2018 TIMBUCKTOO MFG, INC.

### CT-105JMB (with brush)

Internal spray system with one jet. Constructed with heavy duty 1.5" O.D. 304 stainless steel tube.

Length: 23", Width: 5" Suction area: 2-1/2" wide

1000 PSI valve. Total weight: 2.5 lb +

### CT-107JMB (with brush)

Internal spray system with one jet. Constructed with heavy duty 1.5" O.D. 304 stainless steel tube.

Length: 48", Width: 5"
Suction area: 2-1/2" wide.


1000 PSI valve. Tool weight: 4 lb +

### **Optional items available:**

S-valve (3000 PSI).
Bypass valve.
Other quick connectors.
Other spray jets.
Extra length of stainless steel tube.
External spray system.



Picture shown cleaning a hard to reach corner with 48" Crevice tool



NOTE: \* Some options may not be used with standard specifications.

\* Hose length can be added 5 ft. increments up to 50 ft. per length.

### Crevice



Professionally designed for hard to reach corners and edges of relatively small areas.(carpet and hard surfaces)

Manufacturer of Commercial & Environmental Cleaning Equipment

**Since 1974** 

© 2018 TIMBUCKTOO MFG, INC.

### MADE IN USA

### CT-5UMB (with brush)

Single jet, internal spray system to prevent overspray. Constructed with heavy duty 1.5" O.D.

304 stainless steel tube.

Length: 23", Width: 5"
Suction area: 2-1/2" wide.

5000 PSI pistol grip. Total weight: 2.5 lb +

### **Optional items available:**

Other quick connectors.

Other spray jets.

Extra length of stainless steel tube.

External spraying system.



Picture shown cleaning a hard to reach corner with 48" Crevice tool



NOTE: \* Some options may not be used with standard specifications.

### ARD SURFACE

# Countertop & Wall Squeegee Wand



Professional Squeegee Wand for hard surface cleaning and water extraction

Manufacturer of Commercial & Environmental Cleaning Equipment

**Since 1974** 

© 2018 TIMBUCKTOO MFG, INC.

### Specifications: (SM1235SS4MS)

12" Swivel queegee head 3000 PSI forged brass valve (4) Stainless steel veejets 1-1/2" Polished stainless steel vacuum tube 1/4" Quick connect male Overall length: 35" Weight: 4.5 lb

### **Optional Items available:**

Other quick connectors Other Jets 1000 PSI J-valve Other valves



CAUTION: Do not use flammable and volatile material.

NOTE: \* Some options may not be used with standard specifications.

### Hand tool Low Profile



Professionally designed for hard to reach corners and edges of relatively small areas.(carpets and hard surfaces)

Manufacturer of Commercial & Environmental Cleaning Equipment Since 1974 © 2018 TIMBUCKTOO MFG, INC.

### HT-120SMB



3" Stainless steel head. Internal spray system with one jet. Low profile design. Squeegee and brush for hard surfaces. 3000 PSI valve with male Q.C.

### **Optional items available:**

Bypass valve.
Other quick connectors.
Other of spray jets.
Extra length of stainless steel tube.





NOTE: \* Some options may not be used with standard specifications.

### 12" Squeegee Wand

www.timbucktoomfg.com

Professional Squeegee Wand for hard surface cleaning and water extraction.

(310) 323-1134

Manufacturer of Commercial & Environmental Cleaning Equipment

Since 1974

© 2018 TIMBUCKTOO MFG, INC.

### Specifications: (SM1260SS4SMG)

12" Swivel squeegee head Forged brass valve, rated at 3000 PSI (4) Stainless steel veejets Heavy duty polished stainless steel construction handle Adjustable front grip handle 1-1/2" stainless steel vacuum tube 3/8" Quick connect male Overall length: 60" Weight: 4.5 lb +

### Optional items available:

Other quick connectors Other jets Other valves Bypass system





Bottom view of Squeegee Wand head

CAUTION: Do not use flammable and volatile material.

NOTE: \* Some options may not be used with standard specifications.

### 12"Squeegee Wand



Professional Squeegee Wand for hard surface cleaning and water extraction.

Manufacturer of Commercial & Environmental Cleaning Equipment

Since 1974

© 2018 TIMBUCKTOO MFG, INC.

### Specifications: (SM1260SS4MJG)

Forged brass valve, rated at 1000 PSI (4) Stainless steel veejets
Heavy duty polished stainless steel construction handle
Adjustable front grip handle
1-1/2" stainless steel vacuum tube
3/8" Quick connect male
Overall length: 60"
Weight: 4.5 lb

12" Swivel squeegee head

### Optional items available:

Other quick connectors Other spray jets Other valves Bypass system



CAUTION: Do not use flammable and volatile material.

NOTE: \* Some options may not be used with standard specifications.

### 18" Squeegee Wand



Professional Squeegee Wand for hard surface cleaning and water extraction. Designed for pressure washer units.

(310) 323-1134

Manufacturer of Commercial & Environmental Cleaning Equipment

**Since 1974** 

© 2018 TIMBUCKTOO MFG, INC.

### Specifications: (SM1860SS6MUG)

18" Swivel squeegee head Forged brass valve, rated at 5000 PSI

(6) Stainless steel veejets Heavy duty polished stainless steel construction handle Adjustable front grip handle 1-1/2" stainless steel vacuum tube 3/8" Quick connect male Overall length: 60" Weight: 4.5 lbs +

### Optional items available:

Other quick connectors Other jets Other valves Bypass system



CAUTION: Do not use flammable and volatile material.

NOTE: \* Some options may not be used with standard specifications.

### 18"Squeegee Wand

www.timbucktoomfg.com
(310) 323-1134

Professional Squeegee Wand for hard surface cleaning and water extraction.

Manufacturer of Commercial & Environmental Cleaning Equipment

Since 1974

© 2018 TIMBUCKTOO MFG, INC.

### Specifications: (SM1860SS6MSG)

18" Swivel squeegee head
Forged brass valve, rated at 3000 PSI
(6) Stainless steel jets
Heavy duty polished stainless
steel construction handle
Adjustable front grip handle
1-1/2" stainless steel vacuum tube
3/8" Quick connect male
Overall length: 60"
Weight: 4.5 lb +

### Optional items available:

Other quick connectors Other jets Other valves Bypass systems





CAUTION: Do not use flammable and volatile material.

NOTE: \* Some options may not be used with standard specifications.

### Liquid Pick-up Squeegee Wand



Manufacturer of Commercial & Environmental Cleaning Equipment

**Since 1974** 

© 2018 TIMBUCKTOO MFG, INC.

### **Specifications: (SM1260SS1VJ)**

12" Swivel squeegee head

Forged brass valve, rated at 1000 PSI

(1) Stainless steel veejet

Heavy duty polished stainless steel construction handle

1-1/2" stainless steel vacuum tube

Overall length: 60" Weight: 3.0 lb +

3/8" Quick connect male

### **Optional items available:**

Other quick connectors

Other valves

Other jets

Adjustable front grip handle



### **Specifications: (SQ1260)**

12" Swivel squeegee head without jets 1-1/2" stainless steel vacuum tube Overalll length: 60" Weight: 2.0 lb +

### **Optional items available:**

Adjustable front grip handle



CAUTION: Do not use flammable and volatile material.

NOTE: \* Some options may not be used with standard specifications.

### TRUCKMOUNT/PLATFORM



EFFICIENT
EFFORTLESS
ECONOMICAL
HEAVY DUTY



# omparison sheet in the back

# Symphony 300 Series



Powerful and compact truckmount for carpet and hard surface cleaning

Manufacturer of Commercial & Environmental Cleaning Equipment

**Since 1974** 

© 2018 TIMBUCKTOO MFG, INC.

### **Specifications: (S395)**

### **Engine**

18 HP Kohler (with low oil shut down)

### **Pump**

2000 PSI max adjustable pump

3.0 GPM Flow rate

### Capacity

50 Gallon recovery tank (stainless steel)

### **Features**

Auto fill solution tank (stainless steel)

Triple vacuum filtering system

Vacuum (#36 blower)

Heating system (S/S heat exchanger w/control)



### **Accessories Included:**

100' of vacuum hose & solution hose

12", 3000 PSI valve, double bend, Autoseal Wand (self-adjustable suction head, bypass valve, 2 jets, stainless steel line, and grip handle) [Part #: WMQT2T11001SBPG]



### **Options:**

Vacuum gauge

Chemical feed and mixing system

Electric clutch for pump

Vacuum hose storage reel (250ft & 300ft)

Solution hose storage reel (400ft)

Live vacuum and solution hose reel

Thermometer (digital display)

Pre-spray system

Other Autoseal Wands available

Other hand tools and accessories available

For any specific custom options please contact customer service for availability

### **Shipping Weight**

830 lb +


**Exterior Dimensions** 

H41" x W32" x L55"

### **Standard Colors**

Black frame/ Stainless steel panels







Picture shown optional

# Symphony series



Powerful and compact truckmount for carpet and hard surface cleaning.

Manufacturer of Commercial & Environmental Cleaning Equipment

Since 1974

© 2018 TIMBUCKTOO MFG, INC.

### **Specifications: (S458)**

### Engine

25 HP Kohler (with oil shut down)

### Pump

2000 PSI max adjustable pump

3.0 GPM Flow rate

### Capacity

70 Gallon recovery tank (stainless steel)

### **Features**

Auto fill solution tank (stainless steel)

Triple vacuum filtering system

Vacuum (#45 blower)

Heating system (S/S heat exchanger w/control)



### **Accessories Included:**

200' of vacuum hose & solution hose

12", 3000 PSI valve, double bend, Autoseal Wand (self-adjustable suction head, bypass valve, 2 jets, stainless steel line, and grip handle) [Part #:WMQT2T11001SBPG]





Front view of Symphony S458





### **Options:**

Vacuum gauge

Chemical feed and mixing system

Electric clutch for pump

Vacuum hose storage reel (250ft & 300ft)

Solution hose storage reel (400ft)

Live vacuum and solution hose reel

Pre-spray system

Other Autoseal Wands available

Other hand tools and accessories available

For any specific custom options please contact customer service for availability

### **Shipping Weight**

970 lb +

### Dimensions

H40" x W33" x L55"

### **Standard Colors**

Black frame/ Stainless steel panels

### **SPECIALTY**



EFFICIENT
EFFORTLESS
ECONOMICAL
HEAVY DUTY



### Noah 9 Series N-931Z, N-960Z, N-980Z



Flood Recovery and Restoration / Automatic Dumping Machine Designed to pump out liquid, sludge, and solids up to 1/2" diameter

Manufacturer of Commercial & Environmental Cleaning Equipment

Since 1974

© 2018 TIMBUCKTOO MFG, INC.

Picture shown with

standard items

### **Specifications: (N-931Z, N-960Z, N-980Z)**

### Motor

(1) 3 Stage vacuum motor

105" - 137" Suction power (H2O)

94 - 122 (CFM) Air flow

### **Pumps**

30 GPM and 60 GPM

80 GPM Dump pump (water only)

### Power

120 Volt AC / 18 - 20 Amps max

(1) 25' 12/3 Gauge power cord

### Capacity

20 Gallon tank

### **Accessories Included:**

- (1) 50'x 1-1/2" Dump hose [Part #:TDA154999]
- (1) 50'x 1-1/2" Vacuum hose [Part #:TVA155050]
- (1) 12" Swivel squeegee pick-up Wand [Part #:SQ1260]

### **Options:**

Additional vacuum motors available

Additional dump hose with quick locking connection

Additional vacuum hose with hose mender

Acoustic muffling system

Autoseal water pick-up Wand

For any specific custom options please contact customer service for availability

### **Shipping Weight**

140 lb +

### **Exterior Dimensions**

L 26" x W 18" x H 38"

### **Standard Colors**

Blue / Black

Custom colors available please call customer service



Hose mender





Additional dump hose with locking connection [Part #: TDA155099]

Optional Autoseal water pick-up Wand [Part # : W0PV000G]

### NOTE:

- \* Some options may not be used with standard specifications.
- \* Hose length can be added 5 ft. increments up to 50 ft. per length.

CAUTION: Do not use flammable and volatile material.

SPECIFICATIONS, FEATURES, ILLUSTRATIONS AND EQUIPMENT SHOWN IN THE CATALOG ARE BASED UPON THE LATEST INFORMATION AT THE TIME OF PUBLICATION. ALTHOUGH DESCRIPTIONS ARE BELIEVED TO BE CORRECT AT THE TIME OF PUBLICATION, SPECIFICATIONS, ACCESSORIES, COLOR, MATERIAL, MODELS AND IMPROVEMENTS ARE SUBJECT TO CHANGE WITHOUT NOTICE. LIMITED WARRANNIES: SEE OWNERS MANUAL. ORDINARY MAINTENANCE ITEMS OR ADJUSTMENTS, PARTS SUBJECT TO NORMAL WEAR, AND OTHER CERTAIN ITEMS ARE SUCCULIDED FROM WARRANITY. PROPOSITION 65 MARNING: "THIS PROPOLIC CONTAINS CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS OR OTHER REPORDUCTIVE HARM. PROPOSITION 65 ADVERTENCIA: Este producto confiene substancias quimicas conocidas por el estado de California como causantes de cancer, anomalias congenitas y otros daños reproductivos.

SPE

Comparison sheet in the back

### Noan 3series N-331Z

www.timbucktoomfg.com

Flood Recovery & Restoration / Automatic Dumping Machine

Designed to move/pump out liquid, sludge, and solids, up to 1/2" diameter (310) 323-1134

Manufacturer of Commercial & Environmental Cleaning Equipment

**Since 1974** 

© 2018 TIMBUCKTOO MFG, INC.

### **Specifications: (N-331Z)**

### Motor

(1) 3 Stage vacuum motor

140" Suction power (H2O)

107 (CFM) Air flow

### Pump

30 GPM Flow rate

### **Power**

120 Volt AC / 14.5 Amps max (1) 25' 12/3 Gauge power cord

### Capacity

10 Gallon capacity tank

### **Accessories Included:**

(1) 50' Vacuum hose [Part #: TVA155050]

(1) 50' Dumping hose [Part #: TDA154999]

(1) 12" Swivel squeegee pick-up Wand [Part #: SQ1260]

(1) Stationary handle

### **Options:**

Additional dump hose with quick locking connection

Additional vacuum hose with hose mender

Acoustic muffling system

Autoseal water pick-up Wand

For any specific custom options please contact customer service for availability

### **Shipping Weight**

90 lb +

### **Exterior Dimensions**

H 26" x W 17" x L 22"

### **Standard Colors**

Red and blue

Custom colors available please call customer service





Hose mender [Part #: TB231640]





Additional dump hose with locking connection [Part #:TDA155099]

water pick-up Wand [Part #:W0PV000G]

- \* Some options may not be used with standard specifications.
- \* Hose length can be added 5 ft. increments up to 50 ft. per length.

Comparison sheet in the back

### Noah 6series N-631Zp

Flood Recovery & Restoration / Automatic Dumping Machine

www.timbucktoomfg.com

(310) 323-1134

.....

Designed to move/pump out liquid, sludge, and solids, up to 1/2" diameter

Manufacturer of Commercial & Environmental Cleaning Equipment Since 1974 © 2018 TIMBUCKTOO MFG, INC.

### Specifications: (N-631Zp)

### Motor

(2) 3 Stage vacuum motor [Part #:11656500]

140" Suction power (H2O)

190 (CFM) Air flow

### **Pump**

30 GPM Flow rate

### **Power**

120 Volt AC / 14.5/13.5 Amps

(2) 25' 12/3 Gauge power cord

### Capacity

20 Gallon capacity tank

### **Accessories Included:**

- (1) 50' Vacuum hose [Part #: TVA155050]
- (1) 50' Dumping hose [Part #: TDA154999]
- (1) 12" Swivel squeegee pick-up Wand [Part #: SQ1260]
- (1) Stationary handle

### **Options:**

Additional dump hose with quick locking connection

Additional vacuum hose with hose mender

Acoustic muffling system

Autoseal water pick-up Wand

For any specific custom options please contact customer service for availability

CAUTION: Do not use flammable and volatile material.

### **Shipping Weight**

90 lb +

### **Exterior Dimensions**

H 32" x W 16" x L 21"

### **Standard Colors**

Blue, red, and grey

Custom colors available please call customer service





Hose mender [Part #: TB231640]





Additional dump hose with locking connection [Part #:TDA155099]

NOTE

- ${\it *Some options may not be used with standard specifications.}$
- \* Hose length can be added 5 ft. increments up to 50 ft. per length.

### Noah 8 series N-858Z

www.timbucktoomfg.com
(310) 323-1134

Picture shown with

standard items

Flood Recovery & Restoration / Automatic Dumping Machine

Designed to move/pump out liquid, sludge, and solids, up to 3/8" diameter

Manufacturer of Commercial & Environmental Cleaning Equipment Since 1974 © 2018 TIMBUCKTOO MFG, INC.

### Specifications: (N-858Z)

### Motor

(1) 3 Stage vacuum motor

140" Suction power (H2O)

107 (CFM) Air flow

### **Pump**

80 GPM Flow rate

### Power

120 Volt AC / 18 Amps max

(1) 25' 12/3 Gauge power cord

### Capacity

20 Gallon recovery tank

### **Accessories Included:**

(1) 50' x 1-1/2" Vacuum hose [Part #: TVA155050]

- (1) 50'x 1-1/2" Dump hose [Part #: TDA154999]
- (1) 12" Swivel squeegee pick-up Wand [Part #: SQ1260]
- (1) Stationary handle

### **Options:**

Additional dump hose with quick locking connection

Additional vacuum hose with hose mender

Acoustic muffling system

Autoseal water pick-up Wand

For any specific custom options please contact customer service for availability

### **Shipping Weight**

100 lb +

### **Exterior Dimensions**

H 32" x W 16" x L 21"

### **Standard Colors**

Blue, red, and gray Custom colors available please call customer service



Hose mender [Part #: TB231640]





Additional dump hose with locking connection [Part #: TDA155099]

NOTE:

- \* Some options may not be used with standard specifications.
- \* Hose length can be added 5 ft. increments up to 50 ft. per length.

Comparison sheet in the back



www.timbucktoomfg.com

Flood Recovery & Restoration / Automatic Dumping Machine

Designed to move/pump out liquid, sludge, and solids, up to 3/8" diameter

Manufacturer of Commercial & Environmental Cleaning Equipment Since 1974 © 2018 TIMBUCKTOO MFG, INC.

### Specifications: (N-868Zp)

### Motor

(2) 3 Stage vacuum motors

140" Suction power (H2O)

213 (CFM) Air flow

### **Pump**

80 GPM Flow rate

### Power

120 Volt AC / 14.5/13.5 Amps max

(2) 25' 12/3 Gauge power cord

### Capacity

20 Gallon recovery tank

### **Accessories Included:**

- (1) 50' x 1-1/2" Vacuum hose [Part #: TVA155050]
- (1) 50'x 1-1/2" Dump hose [Part #: TDA154999]
- (1) 12" Swivel squeegee pick-up Wand [Part #: SQ1260]
- (1) Stationary handle

### **Options:**

Additional dump hose with quick locking connection

Additional vacuum hose with hose mender

Acoustic muffling system

Autoseal water pick-up Wand

For any specific custom options please contact customer service for availability

### **Shipping Weight**

100 lb +

### **Exterior Dimensions**

H 35" x W 16" x L 21"

### **Standard Colors**

Blue, red, and gray

Custom colors available please call customer service





Hose mender [Part #: TB231640]





Additional dump hose with locking connection [Part #:TDA155099]

[Part # :W0PV000G]

### NOTE:

- st Some options may not be used with standard specifications.
- \* Hose length can be added 5 ft. increments up to 50 ft. per length.

### Noah 8series N-860Z

www.timbucktoomfg.com

Flood Recovery & Restoration / Automatic Dumping Machine

Designed to move/pump out liquid, sludge, and solids, up to 3/8" diameter

Manufacturer of Commercial & Environmental Cleaning Equipment

**Since 1974** 

© 2018 TIMBUCKTOO MFG, INC.

### Specifications: (N-860Z)

### Motor

(1) 3 Stage vacuum motor

140" Suction power (H2O)

107 (CFM) Air flow

### **Pump**

60 (GPM) Flow rate

### **Power**

120 Volt AC / 18 Amps max

(1) 25' 12/3 Gauge power cord

### Capacity

20 Gallon recovery tank

### **Accessories Included:**

(1) 50' x 1-1/2" Vacuum hose [Part #: TVA155050]

- (1) 50' x 1-1/2" Dump hose [Part #: TDA154999]
- (1) 12" Swivel squeegee pick-up Wand [Part #: SQ1260]
- (1) Stationary handle

### **Options:**

Additional dump hose with quick locking connection

Additional vacuum hose with hose mender

Acoustic muffling system

Autoseal water pick-up Wand

For any specific custom options please contact customer service for availability

### **Shipping Weight**

100 lb +

### **Exterior Dimensions**

H 32" x W 16" x L 21"

### **Standard Colors**

Blue, red, and grey

Custom colors available please call customer service





Hose mender [Part #: TB231640]



Optional Autoseal water pick-up Wand [Part #:W0PV000G]



- \* Some options may not be used with standard specifications.
- \* Hose length can be added 5 ft. increments up to 50 ft. per length.

www.timbucktoomfg.com

Picture shown with standard items

(310) 323-1134

Flood Recovery & Restoration / Automatic Dumping Machine

Designed to move/pump out liquid, sludge, and solids, up to 3/8" diameter

Manufacturer of Commercial & Environmental Cleaning Equipment Since 1974 © 2018 TIMBUCKTOO MFG, INC.

### Specifications: (N-862ZP)

### Motor

(2) 3 stage vacuum motor

140" suction power (H2O)

213 (CFM) Air flow

### **Pump**

60 GPM Flow rate

### **Power**

120 Volt AC / 14.5/13.5 Amps max

(2) 25' 12/3 Gauge power cords

### Capacity

20 Gallon recovery tank

### **Accessories Included:**

- (1) 50' x 1-1/2" Vacuum hose [Part #: TVA155050]
- (1) 50'x 1-1/2" Dump hose [Part #: TDA154999]
- (1)12" Swivel squeegee pick-up Wand [Part #: SQ1260]
- (1) Stationary handle

### **Options:**

Additional dump hose with quick locking connection

Additional vacuum hose with hose mender

Acoustic muffling system

Autoseal water pick-up Wand

For any specific custom options please contact customer service for availability

### **Shipping Weight**

100 lb +

### **Exterior Dimensions**

H 32" x W 16" x L 21"

### **Standard Colors**

Blue, red, and grey

Custom colors available please call customer service



Hose mender [Part #: TB231640]





Additional dump hose with locking connection [Part #:TDA155099]

NOTE:

- \* Some options may not be used with standard specifications.
- \* Hose length can be added 5 ft. increments up to 50 ft. per length.

⊕ TMI

### Rhinoseries

Specially designed for upholstery, carpet cleaning, and the auto detail business.



Manufacturer of Commercial & Environmental Cleaning Equipment **Since 1974** © 2018 TIMBUCKTOO MFG, INC.

### Specifications: (RH-131H35)

### Motor

(1) 3 Stage vacuum motor

150" Suction power (H2O)

107 (CFM) Air flow

### **Pump**

120 PSI pump [Part #: 866-520-2141]

1.3 (GPM) Flow rate

### **Power**

120 Volt AC / 20 Amps max

(1) 25' 12/3 Gauge power cord

### Capacity

11 Galon solution tank and 13 gallon recovery tank

### **Features**

Inline heater (210° F max)



### **Accessories Included:**

(1) 15' vacuum hose & 15' high pressure solution hose assembly [Part #:TA1561599-4MF]

(1) 4" stainless steel detail tool [Part #: HT-131JM]

### **Options:**

Available with 150, 170, 220, 500, and 1200 PSI pumps

Additional & multiple vacuum motors available

Paralell vacuum available #A or #B

Output female plug

Auto fill system and Auto dump system

Drain valve

Other Autoseal Wands available

Other hand tools and accessories available

### **Shipping Weight**

98 lb +

### **Exterior Dimensions**

H 36" x W 21" x L 28"

### **Standard Colors**

Charcoal granite

Custom colors available please call customer service





Comparison sheet in the back

# Spray gun Professionally designed to ensure comfort and quality



Manufacturer of Commercial & Environmental Cleaning Equipment Since 1974

© 2018 TIMBUCKTOO MFG, INC.



### Dye Gun (SG-1SM)

4000 PSI spray gun with 3 ft of stainless steel tube, 1/4" Male Q.C. and T Jet with check valve. Weight: 2.5 lb



Picture shown with optional items: jets and valves (machine not included)




### **Pistol Gun (SG-2SM)**

4000 PSI pistol grip spray gun with 2 ft of stainless steel tube, 1/4" Male Q.C. and T Jet with check valve. Weight: 2.5 lb



### Pre-Spray Gun (SG-4KM)

250 PSI spray gun with 2 ft of stainless steel tube, 1/4" Male Q.C. and V Jet. Weight: 1.5 lb



Extra length of stainless steel tube



Picture shown with optional items: extra length of tube, spray gun, and high pressure solution hose (machine and optional items not included)

### **ACCESSORIES**



EFFICIENT
EFFORTLESS
ECONOMICAL
HEAVY DUTY



### **CCESSORIES**

### Valves, Jets, Quick connects



Manufacturer of Commercial & Environmental Cleaning Equipment

Since 1974

© 2018 TIMBUCKTOO MFG, INC.

### **Jets**



K ie



VEE jet



TEE jet assembly

### 1/4 Quick Connects



Male



Female

### **Valves**



Ball valve



J-valve



K-valve



S-valve (with handle)

### **Safety Valves**



4000 PSI safety valve



1500 PSI unloader valve



500 PSI unloader valve

Please contact customer service for specific part numbers or if you have any questions about our products or spare parts.

# **Hoses** Vacuum & Solution



Manufacturer of Commercial & Environmental Cleaning Equipment

Since 1974

© 2018 TIMBUCKTOO MFG, INC.

Please call customer service if you have any questions about our products or spare parts.

### **SOLUTION HOSES**

3000 1/4 30

1/4" I.D. 3000 WP, Blue neptune [Part #: TH6400450]

3/8" I.D. 250 WP, 1000 BP, Red

[Part #: TH3630670]

E IN USA GOOD YEAR


3/8" I.D. 250 WP, 1000 BP, Blue

[Part #: TH3630650]

3/8" I.D. 250 WP, 1000 BP, Black

[Part #: TH3630699]

### **VACUUM HOSES**



1-3/4" vacuum hose wire braid black [Part #: TV175299]



1-1/2" vacuum hose crush proof red [Part #: TV150170]



2" vacuum hose crush proof blue [Part #: TV200150]



1-1/2" clear wire braid vacuum hose [Part #: TV150201]

NOTE: \* Some options may not be used with standard specifications.

\* Hose length can be added 5 ft. increments up to 50 ft. per length.



1-1/2" swivel cuff [Part #:TV140158]



Hose mender [Part #: TB231640] (hoses not included)



15' x 1-1/2" vacuum & 15' x 3/8" solution hose assembly. 1/4" Q.C. M X F [Part #: TA1531599-4MF]



15' x 1-1/2" vacuum & 15' x 3/8 solution hose assembly. 1/4" Q.C. M X F [Part #: TA1531550-4MF]



15' x 1-1/2" vacuum & 15' x 3/8 solution hose assembly. 1/4" Q.C M X F [Part #: TA1531570-4MF]

# Hose Reels Vacuum & Solution



Manufacturer of Commercial & Environmental Cleaning Equipment

Since 1974 © 2018 TIMBUCKTOO MFG, INC.

### **Specifications:**

### 2" x 250 ft Vacuum Hose Storage Reel (MM36251):

### **Exterior dimensions:**

H 43" x W 24.5" x L 36"

Weight:

98 lb

### 2" x 300 ft Vacuum Hose Storage Reel (MM36301):

### **Exterior dimensions:**

H 47" x W 24.5" x L 45"

Weight:

106 lb

### 1/4" x 400 ft Solution Hose Storage Reel (MM30400):

### **Exterior dimensions:**

H 22" x W 9.5" x L 22"

Weight:

13 lb

### **Options:**

Other solution hose reels and vacuum hose reels available For any specific custom options please contact customer service for availability



Standard vacuum hose reel

### CAUTION: Do not use flammable and volatile material.



Picture shown live custom made vacuum hose reel with optional wheels



NOTE: \* Some options may not be used with standard specifications.

### Shampoo Tank



Manufacturer of Commercial & Environmental Cleaning Equipment

Since 1974 © 2018 TIMBUCKTOO MFG, INC.

### **Specifications:**

Brass vertical valve with stainless steel pull rod

Stainless steel screen filter available (optional)

Tank Brackets available for round handle or double square handle (sold separately)

Capacity: 4 Gallon

Dimensions: 10.5" H x 9" W x 21" L

Weight: 5.5 lb +

Standard Colors: black, blue, red, and natural(white)



Tank Bracket "A" set 1.5" (for round handle) [Part #: FSSBA100]



Tank Bracket "B" set 1"(for double square handle) [Part #: FSSBB100]



Tank Brackets sold separately



Optional Filter: [Part #: TF101150]



Picture shown detail view of tank with brackets